

Error Codes DF2/DFT/DF1/ILS

Global character "EVTSCRN" text for home screen, bottom 2 lines. **Red** numbers are hexadecimal event numbers.

The EVTSCRN table is a verbal description of the various events in the DiverFlow system. Events 00 thru 1F are "normal" events and events 20 thru 3f are "error" events.

Events for DF2 (as of v. 3.00- some events are different in older versions)		Events for DFT		Events for DF1		Events for ILS	
Code #	Screen Display	Code #	Screen Display	Code #	Screen Display	Code #	Screen Display
00/00	SYSTEM CHECKS OK	00/00	SYSTEM CHECKS OK	00/00	SYSTEM CHECKS OK	00/00	SYSTEM CHECKS OK
01/01	FEED REQUEST FIXED DOSE MODE	01/01	FEED REQUEST FIXED DOSE MODE	01/01	FEED REQUEST FIXED DOSE MODE	01/01	FEED REQUEST FIXED DOSE MODE
02/02	FEED REQUEST RELAY MODE	02/02	FEED REQUEST RELAY MODE	02/02	FEED REQUEST RELAY MODE	02/02	FEED REQUEST RELAY MODE
03/03	PROOF OF FLOW CONFIRMED	03/03	PROOF OF FLOW CONFIRMED	03/03	PROOF OF FLOW CONFIRMED	03/03	CALC PUMP RATE FAST CALIBRATION
04/04	PROOF OF DELIVERY CONFIRMED	04/04	DELIVERY COMPLETE AT TRANSFER TIME	04/04	PROOF OF DELIVERY CONFIRMED	04/04	DELIVERY COMPLETE
05/05	PROOF OF FLOW ASSUMED	05/05	PROOF OF FLOW ASSUMED	05/05	PROOF OF FLOW ASSUMED	05/05	PROOF OF CHEMICAL ASSUMED
06/06	PROOF OF DELIVERY ASSUMED	06/06	DELIVERY COMPLETE AT TRANSFER TIME	06/06	PROOF OF DELIVERY ASSUMED	06/06	DELIVERY COMPLETE
07/07	FEED REQUEST FROM NETWORK	07/07	FEED REQUEST FROM NETWORK	07/07	FEED REQUEST FROM NETWORK	07/07	FEED REQUEST FROM NETWORK
08/08	FEED RETRY, MANUAL	08/08	FEED RETRY, MANUAL	08/08	FEED RETRY, MANUAL	08/08	FEED RETRY, MANUAL
09/09	MANUAL CAL STATUS CODE / CHEM / FLOW	09/09	FEEDS PENDING AT TRANSFER TIME	09/09	TEST MODE ACTIVATED	09/09	CALC PUMP RATE SLOW CALIBRATION
0A/10	NETWORK MEMORY PURGE LOGGED DATA CLEARED	0A/10	FEEDS CLEAR AT TRANSFER TIME	0A/10	WASHER FEED MODE CHANGED BY NETWORK	0A/10	--- CYCLE ENDED ---
0B/11	SYSTEM ON	0B/11	DIVERFLOW SYSTEM ON	0B/11	SYSTEM ON	0B/11	ILS SYSTEM ON
0C/12	SYSTEM OFF	0C/12	DIVERFLOW SYSTEM OFF	0C/12	SYSTEM OFF	0C/12	ILS SYSTEM OFF
0D/13	MANUAL FLUSH STARTED	0D/13	MANUAL FLUSH STARTED	0D/13	MANUAL FLUSH STARTED	0D/13	PDCI CYCLE START/ID in the AMT
0E/14	MANUAL FLUSH STOPPED	0E/14	MANUAL FLUSH STOPPED	0E/14	MANUAL FLUSH STOPPED	0E/14	PDCI FEED REQ WITH NO CYCLE START/ID
0F/15	WASHER NETWORK LINK ESTABLISHED	0F/15	WASHER NETWORK LINK ESTABLISHED	0F/15	WASHER NETWORK LINK ESTABLISHED	0F/15	WASHER NETWORK LINK ESTABLISHED
10/16	WASHER HOLD SET	10/16	WASHER HOLD SET BY DIVERFLOW	10/16	WASHER HOLD SET	10/16	PDCI FORMULA TRIG in the AMT
11/17	WASHER HOLD RELEASED	11/17	WASHER HOLD RELEASED BY DIVERFLOW	11/17	WASHER HOLD RELEASED	11/17	TOO EMPTY AT START OF METERING

12/18	RELAY MAX TIME ERROR REPAIRED CODE 1&2	12/18	EXTERNAL TUNNEL HOLD --- SET ---	12/18	CYCLE START C = CYCLE TYPE	12/18	OVERFLOW SWITCH OFF
13/19	FORMULA SET BY AFS CHEM = FORMULA	13/19	EXTERNAL TUNNEL HOLD --- RELEASED ---	13/19	CYCLE STOP	13/19	--- CYCLE START ---
14/20	HYGIENE VERIFIED	14/20	OIM NEW DATA	14/20	CYCLE START IGNORED C = CYCLE TYPE	14/20	COMMUNICATIONS WITH TRIGGERS RESTORED
15/21	RELAY RATE CHANGED BY NETWORK	15/21	FEED REQUEST SLAVE MODE	15/21	FEED REQUEST WITH UNLKNOWN CYCLE TYPE	15/21	COMMUNICATIONS WITH FORMULA SEL RESTORED
16/22	RELAY RATE ERROR REPAIRED CODE 1&2	16/22		16/22		16/22	WASHER RE-ENABLED FROM NETWORK
17/23		17/23		17/23		17/23	WASHER DISABLED FROM NETWORK
18/24		18/24		18/24		18/24	PDCI STOP
19/25	AUTO CAL STATUS CODE / CHEM / FLOW	19/25		19/25	AUTO CAL STATUS CODE / CHEM / FLOW	19/25	PDCI 2 STARTS WITH NO STOP
1A/26	WASHER FEED MODE CHANGED BY NETWORK	1A/26		1A/26	MANUAL CAL STATUS CODE / CHEM / FLOW	1A/26	FEED REJECTED: BAD PARAMETERS
1B/27	FEED REJECTED: REQUEST AMOUNT = 0	1B/27	FEED REJECTED: REQUEST AMOUNT = 0	1B/27	FEED REJECTED: REQUEST AMOUNT = 0	1B/27	PDCI LONG POWER OUT OCCURRED DURING WASH
1C/28	MANUAL MEMORY PURGE LOGGED DATA CLEARED	1C/28	MANUAL MEMORY PURGE LOGGED DATA CLEARED	1C/28	MANUAL MEMORY PURGE LOGGED DATA CLEARED	1C/28	MANUAL MEMORY PURGE LOGGED DATA CLEARED
1D/29	PROOF OF DELIVERY NOT DETECTED	1D/29	PROOF OF DELIVERY NOT DETECTED	1D/29	PROOF OF DELIVERY NOT DETECTED	1D/29	PDCI AUTO FUNCTION in the AMT
1E/30	ERROR RESET WASH:	1E/30	ERROR RESET WASH:	1E/30	ERROR RESET WASH:	1E/30	ERROR RESET
1F/31	MANUAL MEMORY PURGED SET UP DATA CLEARED	1F/31	MANUAL MEMORY PURGED SET UP DATA CLEARED	1F/31	MANUAL MEMORY PURGED SET UP DATA CLEARED	1F/31	MANUAL MEMORY PURGED SET UP DATA CLEARED
20/32	FEED REJECTED: REQUEST AMOUNT = 0	20/32	event#20 -----	20/32	FEED REJECTED PUMP BOX OFFLINE	20/32	SHORT CYCLE
21/33	FEED REJECTED: WASHER DRAIN OPEN	21/33	FEED REJECTED: WASHER DRAIN OPEN	21/33	FEED REJECTED: WASHER DRAIN OPEN	21/33	LOST CONTACT WITH TRIGGER MODULE
22/34	FEED REJECTED: WASHER OFF	22/34	FEED REJECTED: WASHER OFF	22/34	FEED REJECTED: WASHER OFF	22/34	LOST CONTACT WITH FORMULA SELECT MODULE
23/35	FEED REJECTED: WASHER NOT SELECTED	23/35	FEED REJECTED: WASHER NOT SELECTED	23/35	FEED REJECTED: WASHER NOT SELECTED	23/35	
24/36	FEED REJECTED: DATA LINK ERRATIC	24/36	FEED REJECTED: DATA LINK ERRATIC	24/36	FEED REJECTED: DATA LINK ERRATIC	24/36	
25/37	FEED REJECTED: VALVE ERROR	25/37	FEED REJECTED: VALVE ERROR	25/37	FEED REJECTED: TRANSPORT PUMP ERROR	25/37	ERROR: TOO LONG TO EMPTY MIXING CELL
26/38	FEED REJECTED: TRANSPORT PUMP ERROR	26/38	FEED REJECTED: TRANSPORT PUMP ERROR	26/38	FEED REJECTED: TRANSPORT SYS ERROR	26/38	
27/39	FEED REJECTED: LOW WATER TEMP	27/39	FEED REJECTED: LOW WATER TEMP	27/39	FEED REJECTED: LOW WATER TEMP	27/39	ERROR: NO HOT WATER
28/40	FEED REJECTED: WATER SUPPLY PROBLEM	28/40	FEED REJECTED: WATER SUPPLY PROBLEM	28/40	FEED REJECTED: WATER SUPPLY PROBLEM	28/40	ERROR: WATER SUPPLY PROBLEM

29/41	FEED REJECTED: LOW WATER FLOW	29/41	FEED REJECTED: LOW WATER FLOW	29/41	FEED REJECTED UNKNOWN FORMULA	29/41	ERROR: CHEMICAL SUPPLY PROBLEM
2A/42	FEED ABORTED: WATER SUPPLY PROBLEM	2A/42	FEED ABORTED: WATER SUPPLY PROBLEM	2A/42	FEED ABORTED: WATER SUPPLY PROBLEM	2A/42	FEED REJECTED: PDCI NEEDS FORMULA ID
2B/43	FEED ABORTED: LOW WATER FLOW	2B/43	FEED ABORTED: LOW WATER FLOW	2B/43		2B/43	FEED REJECTED: PDCI FORMULA MODE POWEROUT
2C/44	FEED ABORTED: TRANSPORT PUMP ERROR	2C/44	FEED ABORTED: TRANSPORT PUMP ERROR	2C/44	FEED ABORTED: TRANSPORT SYS ERROR	2C/44	PDCI FEED REJECTED: INVALID PARAMETER(S)
2D/45	FEED ABORTED: CHEMICAL PUMP ERROR	2D/45	FEED ABORTED: CHEMICAL PUMP ERROR	2D/45	FEED ABORTED: CHEMICAL PUMP ERROR	2D/45	
2E/46	FEED ABORTED: WASHER STATE INVALID	2E/46	FEED ABORTED: WASHER STATE INVALID	2E/46		2E/46	
2F/47	FEED ABORTED: DATA LINK ERRATIC	2F/47	FEED ABORTED: DATA LINK ERRATIC	2F/47		2F/47	
30/48	WORN CHEMICAL PUMP TUBE	30/48	WORN CHEMICAL PUMP TUBE	30/48	WORN CHEMICAL PUMP TUBE	30/48	
31/49	WASHER NETWORK LINK LOST	31/49	WASHER NETWORK LINK LOST	31/49	WASHER NETWORK LINK LOST	31/49	WASHER NETWORK LINK LOST
32/50	PROOF OF FLOW FAILURE	32/50	PROOF OF FLOW FAILURE	32/50	PROOF OF FLOW FAILURE	32/50	FADT CALIBRATION TOO LOW
33/51	PROOF OF DELIVERY FAILED	33/51	PROOF OF DELIVERY FAILED	33/51	PROOF OF DELIVERY FAILED	33/51	SLOW CALIBRATION TOO LOW
34/52	RELAY MODE TRIGGER TIME LIMIT EXCEEDED	34/52	RELAY MODE TRIGGER TIME LIMIT EXCEEDED	34/52	RELAY MODE TRIGGER TIME LIMIT EXCEEDED	34/52	
35/53	FEED REJECTED HIGH WATER TEMP	35/53	FEED REJECTED HIGH WATER TEMP	35/53	FEED REJECTED HIGH WATER TEMP	35/53	FEED REJECTED HIGH WATER TEMP
36/54	FEED REJECTED PUMP BOX OFFLINE	36/54		36/54		36/54	ERROR: MIXING CELL OVERFLOW
37/55	DELIVERY: TRANSPORT PUMP ERROR	37/55	DELIVERY: TRANSPORT PUMP ERROR	37/55	DELIVERY: TRANSPORT SYS ERROR	37/55	
38/56	DELIVERY: WATER SUPPLY PROBLEM	38/56	DELIVERY: WATER SUPPLY PROBLEM	38/56	DELIVERY: WATER SUPPLY PROBLEM	38/56	
39/57	FEED REJECTED: BAD REQUEST FORMAT	39/57	FEED REJECTED: BAD REQUEST FORMAT	39/57	FEED REJECTED: BAD REQUEST FORMAT	39/57	
3A/58	HYGIENE FAILED	3A/58		3A/58		3A/58	
3B/59		3B/59		3B/59		3B/59	
3C/60		3C/60		3C/60		3C/60	
3D/61	UNABLE TO ALTER REPT LANGUAGE USING ENGL	3D/61		3D/61		3D/61	
3E/62	RELAY MAX TIME ERROR RESET TO DEFAULT	3E/62		3E/62		3E/62	
3F/63	RELAY RATE ERROR RESET TO DEFAULT	3F/63		3F/63		3F/63	